

TYPE XD

Yellow

Braided glass fibre. External lining in Kevlar. Surface lubricated with PTFE.

For hot dip galvanising.

High technology wiping pads, expressly studied to produce a uniform zinc coating.

Characteristics:

1. long life
2. lubricated for low friction
3. high melting point
4. constant wiping effect
5. not flammable
6. asbestos free
7. dimensions at customer request



TYPE M

Yellow

Braided glass fibre. External lining in Kevlar. Surface lubricated with PTFE. Wax coated.

For hot dip galvanising.

High technology wiping pads, expressly studied to produce a uniform zinc coating.

Characteristics:

1. long life
2. lubricated for low friction
3. high melting point
4. constant wiping effect
5. not flammable
6. asbestos free
7. dimensions at customer request



TYPE V

Black

Braided glass fibre. Surface lubricated with PTFE and Graphite.

For hot dip galvanising.

High technology wiping pads, expressly studied to produce a uniform zinc coating.

Characteristics:

1. long life
2. lubricated for low friction
3. high melting point
4. constant wiping effect
5. not flammable
6. asbestos free
7. dimensions at customer request

**TYPE B**

White

Braided glass fibre. Surface lubricated with PTFE.

For hot dip galvanising.

High technology wiping pads, expressly studied to produce a uniform zinc coating.

Characteristics:

1. long life
2. lubricated for low friction
3. high melting point
4. constant wiping effect
5. not flammable
6. asbestos free
7. dimensions at customer request

